



BOROUGH OF MERCERSBURG

PENNSYLVANIA

Borough Office • 113 South Main Street • Mercersburg, PA 17236
Phone: (717) 328-3116 • Fax: (717) 328-3117 • mercersburg.org

August 18, 2026

Austin McDannell
[REDACTED]
[REDACTED]
[REDACTED]

Subject: Right-To-Know Law Response

Austin,

On August 11, 2026, the Borough of Mercersburg (the "Borough") received your Right-to-Know Law Request dated August 11, 2026 (the "Request"), which requested the following records pursuant to the Pennsylvania Right-to-Know Law, 65 P.S. 67.101 *et seq.* (the "RTKL"):

Documents attached to email correspondence between Erica Merten, Mike Holub, and Borough Manager.

Your request is **APPROVED. Documents have been attached to the email.**

If You have a right to appeal this denial in writing to: Office of Open Records, 333 Market St., 16th Floor, Harrisburg, PA 17101-2234. Appeals can also be filed online at the Office of Open Records website, <https://www.openrecords.pa.gov>. If you choose to file an appeal, you must do so within 15 business days of the date of the Borough's response. See 65 P.S. § 67.1101. Please note that a copy of your original RTKL request, the Borough's extension notice, and this denial letter should be included when filing an appeal. More information about how to file an appeal under the RTKL is available at the Office of Open Records website, <https://www.openrecords.pa.gov>.

If you have additional questions, please contact me. This correspondence will serve to close this record with our office as permitted by law. If you have any questions, feel free to contact me.

Sincerely,

Matt Moxley

Borough Manager/Open Record Officer
Borough of Mercersburg

MAYOR
Michael Pedersen

COUNCIL PRESIDENT
Kelani Craig

BOROUGH MANAGER
Matthew Moxley



Borough Office <boroughoffice@mercersonburg.org>

Fwd: 1789202, 1789203 - Franklin County SO LPR camera in borough ROW ; on borough traffic signal pole

Matthew Moxley <boroughmanager@mercersonburg.org>
To: Office Professional Angie <boroughoffice@mercersonburg.org>

Mon, Jul 20, 2026 at 10:32 AM

This was buried in my email.

----- Forwarded message -----

From: **Erica Merten** <erica.merten@flocksafety.com>

Date: Mon, Jun 15, 2026 at 12:45 PM

Subject: 1789202, 1789203 - Franklin County SO LPR camera in borough ROW ; on borough traffic signal pole

To: <boroughmanager@mercersonburg.org>

Cc: Mike Holub <michael.holub@flocksafety.com>

Good afternoon,

My name is Erica Merten, a Senior Permitting Manager for Flock Safety. We have partnered with the Franklin County SO to install 1 License Plate Reader Camera with Live Video on a Town-owned traffic signal pole and 1 on a new 12' flock pole within the borough's ROW to assist with public safety and criminal investigations.

Most cities/counties don't require permits for these types of installations going in on behalf of the local law enforcement, however, I always like to verify any permitting processes that are required to approve these installations. I have attached 2 site maps for your review that show the proposed camera locations and equipment specifications. The camera will be powered by a small solar panel and will not require any complex traffic controls for installation.

The camera on the existing traffic signal will also require DOT approval. I will coordinate an email with DOT, the SO, and the Borough once I have the correct email address from your office.

After reviewing all attached documentation, please let me know if we have approval to proceed with installation or if you need additional information to process this request as the Franklin County SO is eager to get these installed.

Please forward to the appropriate department if it is not Public Works

Thank you!

Erica Merten
Senior Permitting Manager



📞 404-902-8686 🖱️ flocksafety.com

✦ Flock

--
Matthew Moxley

FLOCK SAFETY EQUIPMENT INSTALLATION

CASE NUMBER: 01789202
PERMITTING JURISDICTION:
Mercersburg (Borough of), Right-of-Way

Mercersburg (Borough of), Right-of-Way
ON BEHALF OF
PA - County of Franklin SO

[THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP]

PA - County of Franklin SO

01789202

Flock Safety
1170 HOWELL MILL ROAD SUITE 210
ATLANTA, GA 30318


REV	DATE	BY	DESCRIPTION
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
0	08/15/2026	FLK	PRELIM

I HEREBY CERTIFY THIS DOCUMENT WAS PREPARED BY MYSELF OR AN ENGINEER UNDER THE JURISDICTION OF THE STATE OF PENNSYLVANIA.

CONTACT LIST
PERMITTING
erica.merten@flocksafety.com
PROJECT MANAGER
michael.holub@flocksafety.com
SEE APPROVED PERMIT FOR LISTED INSPECTOR*

DRAWING INDEX

T01	COVER SHEET & LOCATION MAPS
GN.01	GENERAL NOTES
A.01	PLAN DRAWINGS
SPEC.01 - SPEC.03	EQUIPMENT & FOUNDATION DETAILS



Know what's below.
Call before you dig.

FLOCK SAFETY EQUIPMENT INSTALLATION

CASE NUMBER: 01789202
PERMITTING JURISDICTION: Mercersburg (Borough of), Right-of-Way

COVER SHEET & LOCATION MAPS

SHEET: T.01 **REV:** 0

ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH STATE AND LOCAL AGENCY SPECIFICATIONS UNLESS SPECIFICALLY STATED OR SHOWN OTHERWISE HEREIN.

- ADA COMPLIANCE NOTES**

THE WORK SHALL BE PERFORMED IN STRICT ACCORDANCE WITH THE FOLLOWING ATTACHED DRAWINGS THAT ARE HEREBY MADE A PART OF THE STATEMENT OF WORK, BY THIS REFERENCE.

- ### SCOPE OF WORK

1. THIS PROJECT SHALL CONSIST OF THE FOLLOWING OPERATIONS. THE WORK PACKAGE IS FOR THE INSTALLATION OF FLOCK SAFETY ALPR CAMERAS WHICH INCLUDES BUT IS NOT LIMITED TO, FLOCK SAFETY PROVIDED POLES, POLE MOUNTED SOLAR PANELS, AND EXTERNAL BATTERY PACKAGES.

DEPARTMENT OF TRANSPORTATION GENERAL GUIDELINES. DO NOT SCALE DRAWINGS. CALL 811 PRIOR TO DIGGING.

PA - County of Franklin SC
01789202

Flock Safety
1170 HOWELL MILL ROAD SUITE 210
ATLANTA, GA 30318

REV	DATE	BY	DESCRIPTION
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
0	06/15/2026	FLK	PRELIM

I HEREBY CERTIFY THIS DOCUMENT WAS PREPARED BY MYSELF OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY REGISTERED ENGINEER UNDER THE LAWS OF THE STATE OF PENNSYLVANIA

FLOCK SAFETY EQUIPMENT INSTALLATION

PERMITTING JURISDICTION: Mercersburg (Borough of), Right-of-Way

COVER SHEET & LOCATION MAPS

SHEET: GN.01	REV 0
-----------------	----------

FLOCK LOCATION DETAILS

LOCATION NAME: PA011 Buchanan Trail W @ Constitution Ave
 GEOGRAPHIC COORDINATES:
 39.82368146780136; -77.90109954722111



(THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP)

PA - County of Franklin SO
 01789202

Flock Safety
 1170 HOWELL MILL ROAD SUITE 210
 ATLANTA, GA 30318

REV	DATE	BY	DESCRIPTION
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
0	06/15/2028	FLK	PRELIM

I HEREBY CERTIFY THIS DOCUMENT WAS PREPARED BY MYSELF OR UNDER MY CLOSE PERSONAL SUPERVISION AND I AM A LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF PENNSYLVANIA.

(THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP)


FLOCK SAFETY EQUIPMENT INSTALLATION
 CASE NUMBER: 01789202
 PERMITTING JURISDICTION: Mercersburg (Borough of), Right-of-Way

COVER SHEET & LOCATION MAPS	
SHEET: A.01	REV: 0

ITEM NO.	DESCRIPTION	QTY.
1	2 FT SCH 40 3.815 OD 74.000L	1
2	2 FT SCH 40 3.815 OD 64.000L	1
3	BOLT TORQ 8-250-23 TAMPER RESISTANT	6
4	INSERT SLEEVE STYLE 7 TAPPED	1
5	ORNG	1
6	WASHER	6
7	CONCRETE FOOTING	1
8	WELT 0.5565-25	1


PROVELL STYLE 7 COUPLER ASSEMBLY
PART # 1020-01
MATERIAL: SCHED 40 6063 T6 ALUMINUM
WEIGHT: 170.42 LBS
DATE: 09/27/2023
DO NOT SCALE DRAWINGS (NTS)

SECTION C-C




flock safety
1170 HOWELL MILL ROAD SUITE 210
ATLANTA, GA 30318


TYPICAL DETAILS FOR:
(1) FRED CAMERA
65W SOLAR PANEL
PROVELL POLE



DETAIL D



DETAIL B



DETAIL E

NOTE: CONCRETE SHALL HAVE A
MINIMUM COMPRESSIVE STRENGTH
OF 3,000 PSI

FLOCK SAFETY EQUIPMENT
INSTALLATION

BUILD & EQUIPMENT DETAILS	DATE:
SHEET SPEC. 03	1/29/2026

Flock Safety
1170 HOWELL MILL ROAD SUITE 210
ATLANTA, GA 30318

PA - County of Franklin SO
01/29/2026

(THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP)

REV	DATE	BY	DESCRIPTION
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
0	06/15/2026	FLK	PRELIM

I HEREBY CERTIFY THIS DOCUMENT WAS PREPARED BY AN ESEAL FOR
USE IN THE STATE OF PENNSYLVANIA. I AM A LICENSED PROFESSIONAL
ENGINEER UNDER THE LAWS OF THE STATE OF PENNSYLVANIA.

(THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP)

FLOCK SAFETY EQUIPMENT INSTALLATION
CASE NUMBER: 01789202
PERMITTING JURISDICTION: Mercersburg (Borough
of), Right-of-Way

COVER SHEET & LOCATION MAPS	REV:
SHEET: SPEC.03	0

FLOCK SAFETY EQUIPMENT INSTALLATION

CASE NUMBER: 01789203
PERMITTING JURISDICTION:
Mercersburg Borough, Attachment

Mercersburg Borough, Attachment
ON BEHALF OF
PA - County of Franklin SO

CONTACT LIST


PERMITTING
erica.merten@flocksafety.com
PROJECT MANAGER
michael.holub@flocksafety.com
SEE APPROVED PERMIT FOR LISTED INSPECTOR*

DRAWING INDEX

T01	COVER SHEET & LOCATION MAPS
GN.01	GENERAL NOTES
A.01	PLAN DRAWINGS
SPEC.01 - SPEC.02	EQUIPMENT & FOUNDATION DETAILS



Know what's below.
Call before you dig.



[THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP]

PA - County of Franklin SO
01789203

Flock Safety
1170 HOWELL MILL ROAD SUITE 210
ATLANTA, GA 30318

REV	DATE	BY	DESCRIPTION
-	-	-	-
-	-	-	-
-	-	-	-
0	06/15/2028	FLK	PRELIM

[LEGALLY CERTIFY THIS DOCUMENT WAS PREPARED BY MYSELF OR UNDER MY SUPERVISION AND THAT I AM A LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF PENNSYLVANIA]

[THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP]

FLOCK SAFETY EQUIPMENT INSTALLATION
CASE NUMBER: 01789203
PERMITTING JURISDICTION: Mercersburg Borough, Attachment

COVER SHEET & LOCATION MAPS	
SHEET: 1.01	REV: 0

GENERAL & CONSTRUCTION NOTES

1. ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH STATE AND LOCAL AGENCY SPECIFICATIONS UNLESS SPECIFICALLY STATED OR SHOWN OTHERWISE HEREIN.
2. ALL WORK SHALL CONFORM TO ALL APPLICABLE ELECTRICAL CODES EXCEPT WHEN STATE DEPARTMENT OF TRANSPORTATION AND LOCAL AGENCY STANDARDS SUPERSEDE.
3. CONTRACTOR SHALL ENSURE ALL PROPOSED EQUIPMENT INSTALLED IS IN ACCORDANCE WITH NESC REQUIREMENTS AND CLEARANCES.
4. ALL CONSTRUCTION AND/OR MAINTENANCE ON THE PENNSYLVANIA DEPARTMENT OF TRANSPORTATION RIGHT OF WAY SHALL CONFORM TO THE FEDERAL MANUAL ON UNIFORM TRAFFIC DEVICES, THE PENNSYLVANIA DEPARTMENT OF TRANSPORTATION ROADWAY AND TRAFFIC DESIGN STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, PLANS PREPARATION MANUAL, AND DRAINAGE MANUAL.
5. THE PERMITTING AGENCY RESERVES THE RIGHT TO MAKE ADJUSTMENTS TO ANY PERMITTED METHODS OF INSTALLATION, SCOPE OF WORK, OR MATERIALS AS REQUIRED TO POSITIVELY SUPPORT LIFE, SAFETY AND ENVIRONMENTAL WELL BEING OF ALL USERS OF THE TRANSPORTATION SYSTEM.
6. SHOULD A CONFLICT ARISE BETWEEN THE DETAILS SHOWN IN THE PLANS AND THE DEPARTMENT OF TRANSPORTATION STANDARDS, THE ENGINEER/PERMITTEE SHALL IMMEDIATELY CONFERENCE WITH THE DEPARTMENT'S ENGINEER IN ORDER TO RESOLVE THE DISCREPANCY. IN NO CASE WILL ANYTHING LESS THAN THE DEPARTMENT'S MINIMUM STANDARDS BE ALLOWED.
7. FLOOD SAFETY SHALL BE RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES 48 HOURS PRIOR TO CONSTRUCTION.
8. UTILITIES INVOLVING FLOOD SAFETY PROVIDED POLES, A MINIMUM OF 2" SEPARATION SHALL BE MAINTAINED FROM ALL EXISTING UTILITIES AND STORM DRAIN STRUCTURES.
9. THE PERMITTED WORK SCHEDULE IS DEFINED AS MONDAY THROUGH FRIDAY 7:00AM TO 5:30PM UNLESS OTHERWISE NOTED WITHIN THE PERMIT. ANY ALTERATION OUTSIDE OF THIS PERIOD MUST BE REQUESTED IN ADVANCE AND APPROVED BEFORE WORKING THE ALTERNATE SCHEDULE.
10. FLOOD SAFETY SHALL BE RESPONSIBLE TO APPLY AND OBTAIN AN APPROVED TRAFFIC CONTROL PLAN IN ACCORDANCE WITH MUTCD AND LOCAL STANDARDS AS REQUIRED.
11. WORK INVOLVING TEMPORARY LANE CLOSURES ARE TO BE DONE BETWEEN THE HOURS OF 8:00AM AND 5:00PM, MONDAY THROUGH FRIDAY UNLESS OTHERWISE STATED BY THE DEPARTMENT OF TRANSPORTATION.
12. CONTRACTOR SHALL PROVIDE SAFE ACCESS PER CURRENT GENERAL STANDARDS FOR ALL PEDESTRIAN TRAFFIC REGULATIONS ON ALL EXCAVATIONS OPENED IN THE TRAFFIC ZONE CONTROL AREA.
13. NO PEDESTRIAN PATHWAY IS TO BE REMOVED, BLOCKED OR DISTURBED WITHOUT HAVING A SUFFICIENT DESIGNATED TEMPORARY PEDESTRIAN PATHWAY WITH ALL APPROPRIATE PEDESTRIAN MAINTENANCE OF TRAFFIC SIGNS IN PLACE PRIOR TO PATHWAY BEING AFFECTED.
14. ALL TEMPORARY PEDESTRIAN PATHWAYS MUST BE FIRM AND UNWEAVING.
15. CONTRACTOR SHALL MAINTAIN ACCESS TO ALL ADJACENT PROPERTY IN THE VICINITY OF THE CONSTRUCTION.
16. NO WORK SHALL BE PERFORMED DURING THE HOURS OF ANY STATE OR FEDERAL HOLIDAYS UNLESS OTHERWISE APPROVED BY THE PENNSYLVANIA DEPARTMENT OF TRANSPORTATION.
17. ALL WORK ZONES ARE TO BE SET UP AND MAINTAINED BY SOMEONE WHO HAS THE PENNSYLVANIA DEPARTMENT OF TRANSPORTATION INTERMEDIATE TRAFFIC CONTROL LEVEL TRAINING OR EQUIVALENT.
18. THE PERMITTING AGENCY RESERVES THE RIGHT TO MAKE ALTERATIONS TO THE PERMIT, ATTACHED SKETCH OR CHARACTER OF WORK AS MAY BE CONSIDERED NECESSARY OR DESIRABLE DURING THE PROGRESS OF THE WORK FOR SATISFACTION COMPLETION OF THE PROPOSED CONSTRUCTION.
19. THE PERMITTEE SHALL NOTIFY THE PERMITTING AGENCY OF DATE OF COMPLETION, REQUEST A FINAL INSPECTION AND A NOTICE OF FINAL ACCEPTANCE.
20. IF THE PROPOSED CANNOT BE INSTALLED PER THE APPROVED PERMITTED PLAN AND BY GENERAL SPECIFICATIONS, A REVISED PLAN MUST BE PROVIDED TO THE DEPARTMENT FOR REVIEW AND APPROVAL PRIOR TO THE INSTALLATION OF PRODUCTS OR MATERIALS AT THE GIVEN LOCATIONS WHERE CONFLICTS OCCUR.
21. CONTRACTOR SHALL RESTORE RIGHT-OF-WAY TO EQUAL OR BETTER CONDITION UPON COMPLETION OF WORK AND TO THE SATISFACTION OF THE STATE DEPARTMENT OF TRANSPORTATION AND LOCAL AGENCY AT NO ADDITIONAL COMPENSATION.
22. ANY SIDEWALK OBTAINED WILL BE REPLACED BY SECTION WITHIN 72 HOURS TO THE STATE DEPARTMENT OF TRANSPORTATION SPECIFICATIONS.
23. IT WILL BE THE RESPONSIBILITY OF THE PERMITTEE TO REPAIR ANY DAMAGE TO GENERAL FACILITIES AND/OR PRIVATE PROPERTY CAUSED BY CONSTRUCTION OF THE PROJECT.
24. ALL ROADWAY PAVEMENT CURBS, GUTTERS AND STORM WATER COLLECTORS WILL BE LEFT FREE OF MUD AND OTHER DEBRIS AT ALL TIMES DURING CONSTRUCTION.
25. NO STOCKPILING, STORING OR SEMI PERMANENT USE OF THE RIGHT OF WAY IS AUTHORIZED UNLESS SPECIFICALLY IDENTIFIED WITHIN THE PERMIT.
26. THE CONTRACTOR SHALL HAVE AN AUTHORIZED PERSON AVAILABLE AT/ON NEAR THE WORK SITE TO ADDRESS EMERGENCY ISSUES ASSOCIATED WITH THE PROJECT.

ADA COMPLIANCE NOTES

1. ALL SIDEWALK CONSTRUCTION SHALL BE IN ACCORDANCE WITH ADA TITLE II AND ALL STATE DEPARTMENT OF TRANSPORTATION AND LOCAL STANDARDS USE STATE DEPARTMENT OF TRANSPORTATION CURRENT EDITION STANDARDS FOR PEDESTRIAN CONTROL PLANS FOR CLOSURE OF SIDEWALK.
2. MINIMUM SIDEWALK CLEAR PEDESTRIAN ACCESS ROUTE (PAR) IS 4' WIDE.
3. NO OBSTRUCTION IS PERMITTED ALONG THE WIDTH OF THE SIDEWALK UP TO 7'-0" IN HEIGHT.

DRAWINGS

1. THE WORK SHALL BE PERFORMED IN STRICT ACCORDANCE WITH THE FOLLOWING ATTACHED DRAWINGS THAT ARE HEREBY MADE A PART OF THE STATEMENT OF WORK, BY THIS REFERENCE.

SPECIFICATIONS

1. THE WORK SHALL BE PERFORMED IN STRICT ACCORDANCE WITH THE SPECIFICATIONS CONTAINED IN THAT CERTAIN MASTER AGREEMENT OUTSIDE PLANT MAINTENANCE CONSTRUCTION SERVICES, PROVIDED THAT SUCH AN AGREEMENT EXISTS BETWEEN FLOOD SAFETY AND CONTRACTOR, IN THE ABSENCE OF SUCH AN AGREEMENT, THE SPECIFICATIONS CONTAINED IN AN AGREEMENT TO BE EXECUTED BY THE PARTIES PRIOR TO THE COMMENCEMENT OF WORK SHALL GOVERN.

MATERIALS

1. INSTALLER SHALL RECEIVE FLOOD SAFETY MATERIALS AT A FLOOD SAFETY LEASED WAREHOUSE FACILITY OR AT THE LOCAL TSO LOCATED AT CONTACT 24 HOURS IN ADVANCE: 11770 HOWELL MILL RD NW, ATLANTA, GA 30318.

- 1.1 ALL UNUSED AND REQUESTED SALVAGED MATERIAL, TO BE RETURNED TO SAME ADDRESS.

2. THE RECEIPT OF ALL MATERIALS SHALL BE CONSIDERED AS CONCLUSIVE EVIDENCE THAT THE CONTRACTOR HAS MADE ALL NECESSARY EXAMINATION AND INSPECTIONS, AND IS SATISFIED AS TO THE QUALITY AND QUANTITY OF MATERIALS RECEIVED.
3. ANY AND ALL MATERIALS THAT MAY BECOME LOST, STOLEN OR DAMAGED SHALL BE REPLACED BY THE CONTRACTOR AT THE CONTRACTOR'S SOLE EXPENSE AND ANY DELAY INCURRED SHALL NOT BE CAUSE FOR AN EXTENSION IN TIME.

SAFETY AND PRECAUTIONS

1. ALL PERSONNEL ARE REQUIRED TO ADHERE BY ALL RULES AND REGULATIONS SET FORTH IN THE FLOOD SAFETY REQUIREMENTS, RAILROAD SAFETY CODE AND GOVERNING JURISDICTION.
2. THE WORK UNDER THIS INSTALLATION WILL BE CONSTRUCTED ALONG RIGHTS OF WAY THAT MAY CONTAIN EXISTING AND OPERATIONAL UTILITIES. THE INSTALLER SHALL BE FULLY RESPONSIBLE FOR LOCATING EXISTING UTILITIES AND FOR COMPLIANCE WITH THE REQUIREMENTS OF ANY STATEWIDE AND/OR LOCAL AGENCIES IN ADVANCE OF ANY EXCAVATION, BORING OR PLACING WORK AND THE CONTRACTOR SHALL LOCATE AND EXPOSE BY HAND ALL EXISTING SUBSURFACE PLANT ANY DAMAGE CAUSED BY THE CONTRACTOR SHALL BE REPAIRED BY THE CONTRACTOR AT THE CONTRACTOR'S SOLE EXPENSE AND ANY DELAY INCURRED SHALL NOT BE CAUSE FOR AN EXTENSION IN THE TIME OF THE CONTRACT.
3. INSTALLER SHALL BE RESPONSIBLE FOR THE PROTECTION AND MAINTENANCE OF PUBLIC AND PRIVATE PROPERTIES. INSTALLER SHALL PROTECT, SHIELD, BRACE, SUPPORT AND MAINTAIN ALL UNDERGROUND PIPES, CONDUITS, DRAINS AND OTHER SUBSURFACE STRUCTURES UNOBTAINED OR OTHERWISE AFFECTED BY THE WORK.
4. INSTALLER SHALL BE RESPONSIBLE FOR ALL DAMAGE TO STREETS, ROADS, HIGHWAYS, SHOULDER, DITCHES, EMBANKMENTS, AND EXISTING UTILITIES AND/OR OTHERS AFFECTED BY THE WORK.
5. ANY DAMAGE TO EXISTING UTILITIES AND/OR OTHERS AFFECTED BY THE WORK SHALL BE REPAIRED BY THE CONTRACTOR AT THE CONTRACTOR'S SOLE EXPENSE AND ANY DELAY INCURRED SHALL NOT BE CAUSE FOR AN EXTENSION IN THE TIME OF THE CONTRACT.

STAKING AND SCHEDULING

1. ALL STAKING WILL BE PROVIDED BY FLOOD SAFETY REQUIRED RIGHT OF WAY CLEARING SHALL BE COMPLETED PRIOR TO STAKING; THEREFORE, THE INSTALLER SHALL COORDINATE ALL CLEARING AND PLACING OPERATIONS WITH THE FLOOD SAFETY PROJECT SUPERVISOR TO AVOID DELAYS AND INTERFERENCE.

2. FLOOD SAFETY WILL PROVIDE RAILROAD FLAGMEN AND SIGNALMEN AS REQUIRED; HOWEVER, THE CONTRACTOR SHALL BE REQUIRED TO COORDINATE ITS NEEDS FOR SUCH SIGNALMEN AND FLAGMEN WITH FLOOD SAFETY.

3. IN ADDITION TO THE SCHEDULING REQUIREMENTS IN THE GENERAL PROVISIONS UPON REQUEST THE CONTRACTOR SHALL ALSO SUBMIT TO THE FLOOD SAFETY PROJECT SUPERVISOR, DAILY CREW ASSIGNMENT REPORTS SPECIFYING CREW AND CREW COMPOSITION AND WORK LOCATION.

PERMITS

1. FLOOD SAFETY HAS OBTAINED OR WILL OBTAIN PERMITS FROM DEPARTMENTS AND/OR AGENCIES OF CITIES, COUNTIES, STATES, FEDERAL GOVERNMENT, RAILROAD OR OTHER ENTITIES, WHICH PROVIDE FOR THE PLACING OF PIPES AND/OR CABLE UNDER DITCH, TRACKS AND ROADS AND PLACING PIPES AND/OR CABLE ALONG AND WITHIN PUBLIC OR PRIVATE ROAD RIGHTS OF WAY AND RAILROAD RIGHTS.

2. CONTRACTOR SHALL OBTAIN ADDITIONAL PERMITS, IF REQUIRED, FOR EQUIPMENT ACCESS OR MOVEMENT ON PUBLIC ROADS AND RAILROADS. COPIES OF SUCH PERMITS SHALL BE FURNISHED TO FLOOD SAFETY ALL TRAFFIC CONTROL, IF APPLICABLE, SHALL BE IN ACCORDANCE WITH LOCAL, STATE, COUNTY OR PERMITTING AGENCY LAWS, REGULATIONS, AND REQUIREMENTS, AND TRANSPORTATION DESIGN STANDARDS.

SCOPE OF WORK

1. THIS PROJECT SHALL CONSIST OF THE FOLLOWING OPERATIONS: THE WORK PACKAGE IS FOR THE INSTALLATION OF FLOOD SAFETY EXTERNAL BATTERY PACKAGES.

[THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP]

PA - County of Franklin SO
01789203

Flood Safety
11770 HOWELL MILL ROAD SUITE 210
ATLANTA, GA 30318

REV	DATE	BY	DESCRIPTION
-	-	-	-
-	-	-	-
-	-	-	-
0	08/15/2026	FLK	PRELIM

I HEREBY CERTIFY THIS DOCUMENT WAS PREPARED BY MYSELF OR UNDER MY CLOSE PERSONAL SUPERVISION AND TO THE BEST OF MY KNOWLEDGE AND BELIEF IT COMPLIES WITH ALL THE REQUIREMENTS OF THE ENGINEER UNDER THE LAWS OF THE STATE OF PENNSYLVANIA.


[THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP]

FLOOD SAFETY EQUIPMENT INSTALLATION
CASE NUMBER: 01789203
PERMITTING JURISDICTION: Mercerburg Borough, Attachment

COVER SHEET & LOCATION MAPS	REV: 0
SHEET: GN.01	

FLOCK LOCATION DETAILS

LOCATION NAME: PA012 Fort Loudon Rd @ Buchanan Trail W
GEOGRAPHIC COORDINATES:
39.83381960288652,-77.90394789006804



STREET NAME/SR #	SPEED LIMIT	TRAFFIC VOLUME	EOP DISTANCE
8 Fort Loudon Rd	0		11.3 ft
Corresponding Spec Sheet			
Spec: 01-02			



[THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP]

PA - County of Franklin SO
01789203

Flock Safety
1170 HOWELL MILL ROAD SUITE 210
ATLANTA, GA 30318

REV	DATE	BY	DESCRIPTION
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
0	08/15/2028	FLK	PRELIM

PERMITTING JURISDICTION: MARCENBURG BOROUGH, ATTACHMENT

[THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP]


FLOCK SAFETY EQUIPMENT INSTALLATION
CASE NUMBER: 01789203
PERMITTING JURISDICTION: MARCENBURG BOROUGH, ATTACHMENT

COVER SHEET & LOCATION MAPS
SHEET: A.01 REV: 0

flock safety
1170 HOWELL MILL ROAD SUITE 210
ATLANTA, GA 30318

TYPICAL DETAILS FOR:
(1) FIXED CAMERA
60W SOLAR PANEL
EXISTING TRAFFIC SIGNAL POLE

- GENERAL & CONSTRUCTION NOTES**
1. CONTRACTOR SHALL APPLY AND OBTAIN AN APPROVED TRAFFIC CONTROL PLAN IN ACCORDANCE WITH MAUTD AND LOCAL JURISDICTION STANDARDS.
 2. CONTRACTOR SHALL RESTORE ALL DAMAGED ASSETS TO ORIGINAL SITE CONDITION TO THE SATISFACTION OF STATE DEPARTMENT OF TRANSPORTATION AND LOCAL JURISDICTION.
 3. CONTRACTOR SHALL RESTORE ALL DAMAGED ASSETS TO ORIGINAL SITE CONDITION TO THE SATISFACTION OF STATE DEPARTMENT OF TRANSPORTATION AND LOCAL JURISDICTION.
 4. ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH SPECIFICATIONS DERIVED BY THE STATE DEPARTMENT OF TRANSPORTATION OR LOCAL JURISDICTION UNLESS SPECIFICALLY STATED OR SHOWN OTHERWISE HEREIN.
- ADA COMPLIANCE NOTES**
1. ALL SIGNALS/CONSTRUCTION SHALL BE IN ACCORDANCE WITH ADA TITLE II, STATE DEPARTMENT OF TRANSPORTATION, AND LOCAL JURISDICTION STANDARDS.
 2. STATE DEPARTMENT OF TRANSPORTATION CURRENT EDITION STANDARDS SHALL BE USED FOR PEDESTRIAN CONTROL PLANS.
 3. WHEN CLASSED OR RECLASSIFIED, THE STANDARDS SHALL BE USED FOR PEDESTRIAN CONTROL PLANS.
 4. NO OBSTRUCTIONS PERMITTED ABOVE THE FRONT OF THE SIGNAL, UP TO AN ELEVATION OF 7' 0" ABOVE GRADE.



1 EXISTING TRAFFIC SIGNAL POLE (TYP) ELEVATION DETAIL
SCALE 1/4\"/>

FLOCK SAFETY EQUIPMENT INSTALLATION	
SHEET	DATE
SPEC 01	1/29/2026

[THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP]

PA - County of Franklin SO
01789203

Flock Safety
1170 HOWELL MILL ROAD SUITE 210
ATLANTA, GA 30318

REV	DATE	BY	DESCRIPTION
-	-	-	-
-	-	-	-
-	-	-	-
0	08/15/2026	FLK	PRELIM

I HEREBY CERTIFY THIS DOCUMENT WAS PREPARED BY MYSELF OR UNDER MY CLOSE PERSONAL SUPERVISION AND I AM A LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF PENNSYLVANIA.

[THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP]

FLOCK SAFETY EQUIPMENT INSTALLATION
CASE NUMBER: 01789203
PERMITTING JURISDICTION: Mercersburg Borough, Abersheim

COVER SHEET & LOCATION MAPS	
SHEET:	REV:
SPEC 01	0

flock safety
1170 HOWELL MILL ROAD SUITE 210
ATLANTA, GA 30318

TYPICAL DETAILS FOR:

(1) FIXED CAMERA
65W SOLAR PANEL
EXISTING TRAFFIC SIGNAL POLE

SUPPLIED BY FLOCK SAFETY
MODEL: 705-0002

WEIGHT: 4.5 LB

INSTALLATION HARDWARE:
FLOCK V1 MOUNTING BRACKET
MOUNTING BRACKET
MOUNTING BRACKET
QUICK RELEASE CLAMP
PART 1: 200000
OR AS APPROVED BY FLOCK SAFETY

FRONT

BACK

TOP

SIDE

1 FLOCK SAFETY CAMERA WITH EXTERNAL RADAR

SCALE: 1/4" = 1'-0"

SUPPLIED BY FLOCK SAFETY
MODEL: 705-0007

WEIGHT: 11.5 LB

INSTALLATION HARDWARE:
FLOCK MOUNTING BRACKET
MOUNTING BRACKET
QUICK RELEASE CLAMP
PART 1: 200000
OR AS APPROVED BY FLOCK SAFETY

FRONT

ADJUSTABLE PANEL ANGLE

TOP

BACK

4 FLOCK COMPUTE BOX

SCALE: 1/4" = 1'-0"

SUPPLIED BY FLOCK SAFETY
MODEL: 705-0002

WEIGHT: 4.5 LB

INSTALLATION HARDWARE:
FLOCK MOUNTING BRACKET
MOUNTING BRACKET
QUICK RELEASE CLAMP
PART 1: 200000
OR AS APPROVED BY FLOCK SAFETY

FRONT

BACK

TOP

SIDE

5 MOUNTING CLAMP

SCALE: 1/4" = 1'-0"

SUPPLIED BY FLOCK SAFETY
MODEL: 705-0007

WEIGHT: 11.5 LB

INSTALLATION HARDWARE:
FLOCK MOUNTING BRACKET
MOUNTING BRACKET
QUICK RELEASE CLAMP
PART 1: 200000
OR AS APPROVED BY FLOCK SAFETY

FRONT

ADJUSTABLE PANEL ANGLE

TOP

BACK

2 65 WATT SOLAR PANEL AND MOUNT ASSEMBLY (SIDE MOUNTED)

SCALE: 1/2" = 1'-0"

SUPPLIED BY FLOCK SAFETY
MODEL: 705-0002

WEIGHT: 5.5 LB

INSTALLATION HARDWARE:
FLOCK MOUNTING BRACKET
MOUNTING BRACKET
QUICK RELEASE CLAMP
PART 1: 200000
OR AS APPROVED BY FLOCK SAFETY

FRONT

ADJUSTABLE PANEL ANGLE

TOP

BACK

3 POWER MODULE

SCALE: 1/4" = 1'-0"

SUPPLIED BY FLOCK SAFETY
MODEL: 705-0002

WEIGHT: 5.5 LB

INSTALLATION HARDWARE:
FLOCK MOUNTING BRACKET
MOUNTING BRACKET
QUICK RELEASE CLAMP
PART 1: 200000
OR AS APPROVED BY FLOCK SAFETY

FRONT

ADJUSTABLE PANEL ANGLE

TOP

BACK

FLOCK SAFETY EQUIPMENT INSTALLATION

BUILD & EQUIPMENT DETAILS

SHEET SPEC.02 DATE 1/29/2026

[THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP]

PA - County of Franklin SO
01789203

Flock Safety
1170 HOWELL MILL ROAD SUITE 210
ATLANTA, GA 30318

REV	DATE	BY	DESCRIPTION
-	-	-	-
-	-	-	-
-	-	-	-
0	06/15/2026	FLK	PRELIM

I HEREBY CERTIFY THIS DOCUMENT WAS PREPARED BY MYSELF OR UNDER MY CLOSE PERSONAL SUPERVISION AND I AM A LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF PENNSYLVANIA.

[THIS SPACE LEFT INTENTIONALLY BLANK FOR STAMP]

FLOCK SAFETY EQUIPMENT INSTALLATION
CASE NUMBER: 01789203
PERMITTING JURISDICTION: Mercersburg Borough, Attachment

COVER SHEET & LOCATION MAPS
SHEET: SPEC.02 REV: 0